



BTT-8900-BCP PRIMARY TREATMENT			
QUANTITY	DESCRIPTION	ITEM#	POS.
1	BTT-8900-BCP PRIMARY TREATMENT	413585	1
2	POLYLOK PLASTIC RISER 24"dia X 6"h	408167	2
2	POLYLOK LID 24"dia - DOMED	450027	3
2	4" PVC TEE	408041	4
3	4 x 10" SOLID SEWER PIPE	408038	5
2	4" CAST.A.SEAL #452.0450	112167	6
2	4" CAST.A.SEAL #452.0450 (CLOSED FACE)	112622	7
1	PL-525 FILTER	106083	8
1	6" PVC TEE	100000	9
1	6 x 10" SOLID SEWER PIPE	100000	10

## GENERAL NOTES:

- UNITS ARE SEALED
   WITH BUTYL TAPE AT
   THE JOINTS
- 2. DELIVERY IS MADE BY CRANE-EQUIPPED TRUCKS
- 3. EXCAVATION MUST BE READY, SAFE AND ACCESSIBLE FOR UNLOADING FROM THE REAR OF THE TRUCK.
- 4. MIN OVERHEAD CLEARANCE OF 18FT (5.5 METRES) IS REQUIRED
- 5. ALL UNITS MUST BE HANDLED WITH PROPER LIFTING EQUIPMENT
- 6. MAXIMUM BURIAL DEPTH = 1 METRE IN FIRM SOIL AWAY FROM ANY VEHICULAR TRAFFIC
- 7. MUST BE SHIPPED WITH "BTT-8900 REACTOR"





6" PVC END CAP

BROOKLIN CONCRETE PRODUCTS

MANUFACTURED: BROOKLIN, ON 1-800-655-3430 CONCRETE: 35MPa at 28 days / 5000PSI

AIR ENTRAINMENT: 5-8%

**REINFORCEMENT:** STEEL TO CSA CAN A23.1 /A23.3 G30.18 Fy=400MPa

WEIGHT: 31,140lbs / 14,125kg BOTTOM: 15,780lbs / 7,157kg TOP: 15,360lbs / 6,967kg MEETS CAN/CSA-B66 BNQ CERTIFIED

11

408049

DRAWN BY:
N.CHAN

BTT-8900-BCP PRIMARY TREATMENT
18000L / 4000 IMPERIAL GAL. BIONEST TANK

DATE:
WORKING CAPACITY: 18,471L TO INVERT OF OUTLET

APR/2020
TOTAL CAPACITY: 21006L TO UNDERSIDE OF CHAMBER LID

SCALE:1/50