



TOP VIEW SCALE:1/30

1981 [78"] 254 1473 254 [10"] [58"] 1 10"] 3 ¾" SWIFT LIFT 4 REQUIRED (TYP.)

GENERAL NOTES:

- 1. DELIVERY IS MADE BY CRANE-EQUIPPED TRUCKS
- 2. EXCAVATION MUST BE READY, SAFE AND ACCESSIBLE FOR UNLOADING FROM THE REAR OF THE TRUCK.
- 3. MIN OVERHEAD CLEARANCE OF 18FT (5.5 METRES) IS REQUIRED
- 4. ALL UNITS MUST BE HANDLED WITH PROPER LIFTING EQUIPMENT (I.E. SPREADER BAR)
- 5. TOP EDGES TO HAVE CHAMFER







MANUFACTURED: BROOKLIN, ON 1-800-655-3430

FRONT VIEW

SCALE:1/30

CONCRETE: 35MPa / 5,000PSI AIR ENTRAINMENT: 5-8%

REINFORCEMENT: STEEL TO CSA CAN A23.1 / A23.3. G30.18 Fy=400MPa WEIGHT:

BCP111TK - 1,320Lbs / 600kg

DRAWN BY: N.CHAN	BCP111TK
DATE: JUL/2020	BASE FOR PRECAST FOUNDATION